






REVISIONS		
REV.	DESCRIPTION	DATE
A	RELEASE	8/13/2021

COOLANT OUTLET
5/16-24 UNF-2B
(SEE J1926-1 -2)

COOLANT INLET
5/16-24 UNF-2B
(SEE J1926-1 -2)

WORKING FLUID INLET
5/16-24 UNF-2B
(SEE J1926-1 -3)

WORKING FLUID OUTLET
7/16-20 UNF-2B
(SEE J1926-1 -4)



DISPLACEMENT	23.63 CC/REV
MASS ESTIMATE	2.6 KG
MAX SPEED RATING	3600 RPM
DISCHARGE PRESSURE	200 PSIA
SHAFT POWER @ 200 PSIG/58 NLPM	1100 W

DEFAULT TOLERANCES:
UNLESS OTHERWISE SPECIFIED
DIMENSIONS ARE IN MM

.X \pm 0.5
.XX \pm 0.10
.XXX \pm 0.050
ANGULAR \pm 1.0°

BREAK CORNERS OF
MACHINED EDGES APPROX.
(0.30 C/R MAX)

INTERPRET DRAWING PER
ASME Y14.5-2009

CONFIDENTIAL
THIS DOCUMENT AND THE DATA
DISCLOSED HEREIN OR HERewith IS NOT TO
BE REPRODUCED, USED, OR DISCLOSED IN
WHOLE OR IN PART TO ANYONE WITHOUT
THE PERMISSION OF AIR SQUARED, INC.



MATERIAL:
N/A

DRAWN:	NNICHOLAS	7/11/2023
DESIGNED:	NNICHOLAS	8/13/2021
CHECKED:	NNICHOLAS	7/11/2023



DESCRIPTION:
COMPRESSOR LAYOUT

SIZE	PART NO.	REV.
B	P11H022A-A01	A
SCALE: 1:2	APPROX. WEIGHT: 2693.05 g	SHEET 1 OF 2



DEFAULT TOLERANCES:
UNLESS OTHERWISE SPECIFIED
DIMENSIONS ARE IN MM

.X ± 0.5
.XX ± 0.10
.XXX ± 0.050
ANGULAR ± 1.0°

BREAK CORNERS OF
MACHINED EDGES APPROX.
(0.30 C/R MAX)


INTERPRET DRAWING PER
ASME Y14.5-2009

CONFIDENTIAL
THIS DOCUMENT AND THE DATA DISCLOSED
HEREIN OR HERewith IS NOT TO BE
REPRODUCED, USED, OR DISCLOSED IN
WHOLE OR IN PART TO ANYONE WITHOUT
THE PERMISSION OF AIR SQUARED, INC.

MATERIAL:

N/A

DRAWN:	NNICHOLAS	8/13/2021
DESIGNED:	NNICHOLAS	7/11/2023
CHECKED:	NNICHOLAS	8/18/2021



DESCRIPTION:
SCROLL COMPRESSOR

SIZE	PART NO.	REV.
B	P11H022A-A01	A
SCALE: 1:2	APPROX. WEIGHT: g	SHEET 2 OF 2